

2200 Cabin Model



These boats are very popular in all weather conditions and still small enough to trailer with ease. With an open concept style cabin interior, these boats can be customized to fit your needs, whether its commuting through the adverse conditions of our coastal waters, spending the day out fishing and exploring with the family, or adding a v-berth configuration for cozy nights out on the water. These boats feature our tapered delta-planning hull with reverse chines and sharp bow entry and are one of the driest, safest and most seaworthy boats on the market today.

Make this boating season the best ever.... own the boat of a lifetime.



Cabin Model

2200

		2200
SPECIFICATIONS	Length Overall (including contoured outboard bracket)	22' 0"
	Width Overall	9'
	Side Height	41"
	Bottom Plate	1/4" 5086- 7' wide
	Side Plate	3/16" 5052
	Finished Hull Weight - Approx	4000 lbs
	Maximum HP	225 HP
ISI	Capacity	8 Person
	Cabin	6' 6" L x 7' 0" W 6' 4" H
DESIGN	Deadrise: Variable pitch; transom has a delta with 18 degree up and a 20 degree reverse chine; 55 degree (on each side) sharp bow entry for a dry, smooth ride in rough water or chop (many other aluminum boats have a 12 degree constant deadrise making them good for lakes or rivers but rough riding and wet for ocean use)	STD
	Lifetimer builds to International Standards Organization (ISO) Design Category "C", Beaufort 6 (2m or 72" wave height, 25-31 MPH strong breeze conditions; coastal waters, large bays, estuaries, lakes & rivers) (Many other welded aluminum boats are built to - ISO Design Category "D", Beaufort 4 - 0.5m or 19" wave height, 13-18 MPH moderate breeze conditions; sheltered waters, small bays, estuaries, lakes, rivers & canals)	STD
	Modified "V" shape hull	STD
	Contoured outboard bracket	STD
	4" reverse chines	STD
	Lifetimer heavy duty gunwale & chine extrusions	STD
	ABYC approved tinned Ancor wire & electrical fittings	STD
HULL	Cabin with solid side windows and AJR Swing Door	STD
	Forward slope windshield & single Ongaro wiper on starboard side	STD
	Lifetimer heavy duty welded bow eye & two (2) stern eyes	STD
	Five (5) 8" heavy duty weld on aluminum cleats	STD
	Aluminum non-skid self-bailing cockpit deck with side drains	STD
	Open style rod pockets in cockpit	STD
	Locking rear doors on transom	STD
	Transducer bracket with built in wiring chase to inner transom	STD
	Zinc Anode protection	STD
	Flotation to Transport Canada TP1332 & U.S.A. NNMA Standard Requirements & for sound abatement	STD
EQUIPMENT	Interior cabin finish - Vinyl covered plywood headliner with 1" foam insulation, interior powder-coating on exposed surfaces, marine grade vinyl on kick areas and on upper cabin structure, R12 Reflectix insulation, and four dome lights	STD
	Raised bow area - R12 Reflectix insulation covered with cuddy fuzz liner	STD
	Rotech planetary style steering system with Ultraflex wheel	STD
	Blue Sea Systems battery switch	STD
	Blue Sea six position Weather deck breaker panel	STD
	80 US Gallon (66 Imp Gal- 300 L) ABYC approved cross-linked roto-molded poly, built in fuel tank c/w Racor filter, fill, vent, sender & Faria fuel gauge	STD
	Hella port & starboard running lights; all around light	STD

Optional Accessories				
	700 - A	Lifetimer heavy duty kicker bracket		
_11		Lifetimer two step aluminum fold down ladder & handrail on transom		
HULL		Sport model removable tow post		
되		Aluminum bow railings		
		Handrails on cabin roof		
COCKPIT	701 - A	Walkthrough transom door		
	701 - B	One (1) flush lid storage access in cockpit floor, 20" x 28", hull storage only, no bin		
	701 - C	One (1) flush lid storage access in cockpit floor, 20" x 28", comes with lift out aluminum fish box		
		Downrigger pads, each		
,		Electric downrigger sockets, under coaming maxi fused to battery, pair (one per side)		
		AJR side sliding window (per window)		
		Tip out style AJR front center window		
	702 - C	Dinette package with seating for four c/w reversible backrest on co-pilot seat; folds down and pulls out to 42" W x 6' 2" L bunk		
	702 - D	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (16"L x 16"H x 16"W)- no upholstery		
CABIN	702 - E	Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle (26"L x 18"H x 16"W)- no upholstery		
	702 - F	Garelick seat slider for pilot seat -Pilot seat & mount or box (noted above) not included		
	702 - G	Bently Highlaker II- large, no arms (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)		
	702 - H	Lifetimer 26" upholstered double seat- (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)		
	702 - I	Lifetimer 32" upholstered double seat- (uses Lifetimer aluminum seat box with side loading storage & Locking Perko T-handle - sold separately)		
1	/113 _ /	Cuddy berth c/w two dome lights, bunk cushions & porta potti (Reflectix insulation and cuddy fuzz hull liner included in standard)		
CUDDY	703 - B	Aluminum 9" wide shelves in cuddy, one per side, mounted just below cuddy roof with wood trim- each		
	703 - C	Aluminum bulkhead to bow c/w aluminum door and lockable Perko T-handle		
	703 - D	Bulkhead privacy curtain(for porta-potti use) c/w powder coated curtain rod		
	703 - E	Thetford 260 porta potti c/w 2.6 gallon holding tank		
	704 - A	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, single engine		
	704 - B	Upgrade steering to UFLEX SeaStar hydraulic steering- single station, dual engines		
	704 - C	Additional Blue Sea six position breaker panel		
	704 - D	Additional Ongaro wiper system (motor, arm & blade)		
	704 - E	1500 GPH Rule bilge pump c/w Rule automatic float switch		
빌	704 - F	500 GPH Rule bilge pump- no auto float		
	704 - G	Marinco Receptacle Combo USB & 12V socket at helm		
EQUIPMENT	704 - H	INSTA-TRIM hydraulic trim tabs, 12" x 8" c/w rocker switch		
	704 - I	Compass, Ritchie B-51		
Ш	704 - J	Raw water wash down system c/w high pressure Flo-jet demand pump, filter, faucet, 25' coil hose with nozzle		
	704 - K	Garelick removable spline style dive ladder with single attachment & handrail on transom		
		Additional brackets and mounting pads for Garelick dive ladder		
ı		Anchor locker in bow c/w bollard (replaces cleat) & Lifetimer bow roller		
		9lb Danforth anchor, 25' of 5/16" anchor chain & 200' of 1/2" anchor line		